

**ARWA Water Treatment Plant, PWSID # 4041035**

**Area : ARWA**

ODW Sample Microbiological Report June 2009

Structure Set Name	Certifying Agency	Lab ID	Sample ID	PWSID	Analyte Code	Std_Meth	State Notification Date	Data Quality	Microbe Presence Indicator (TC or MPN ONLY)
result	STATE	00005	09-628C	VA4041035	3100	9223B-PA	07/08/2009	A	A
result	STATE	00005	09-627C	VA4041035	3100	9223B-PA	07/08/2009	A	A
result	STATE	00005	09-624C	VA4041035	3100	9223B-PA	07/08/2009	A	A
result	STATE	00005	09-626C	VA4041035	3100	9223B-PA	07/08/2009	A	A
result	STATE	00005	09-625C	VA4041035	3100	9223B-PA	07/08/2009	A	A
result	STATE	00005	09-652C	VA4041035	3100	9223B-PA	07/08/2009	A	A
result	STATE	00005	09-654C	VA4041035	3100	9223B-PA	07/08/2009	A	A
result	STATE	00005	09-653C	VA4041035	3100	9223B-PA	07/08/2009	A	A
result	STATE	00005	09-655C	VA4041035	3100	9223B-PA	07/08/2009	A	A
result	STATE	00005	09-173RC	VA4041035	3100	READYCULT 100	07/08/2009	A	A
result	STATE	00005	09-170RC	VA4041035	3100	READYCULT 100	07/08/2009	A	A
result	STATE	00005	09-174RC	VA4041035	3100	READYCULT 100	07/08/2009	A	A
result	STATE	00005	09-172RC	VA4041035	3100	READYCULT 100	07/08/2009	A	A
result	STATE	00005	09-171RC	VA4041035	3100	READYCULT 100	07/08/2009	A	A
result	STATE	00005	09-709C	VA4041035	3100	9223B-PA	07/08/2009	A	A
result	STATE	00005	09-708C	VA4041035	3100	9223B-PA	07/08/2009	A	A
result	STATE	00005	09-710C	VA4041035	3100	9223B-PA	07/08/2009	A	A
result	STATE	00005	09-707C	VA4041035	3100	9223B-PA	07/08/2009	A	A
result	STATE	00005	09-724C	VA4041035	3100	9223B-PA	07/08/2009	A	A
result	STATE	00005	09-723C	VA4041035	3100	9223B-PA	07/08/2009	A	A
result	STATE	00005	09-722C	VA4041035	3100	9223B-PA	07/08/2009	A	A
result	STATE	00005	09-721C	VA4041035	3100	9223B-PA	07/08/2009	A	A
result	STATE	00005	09-628C	VA4041035	3014	9223B-PA	07/08/2009	A	A
result	STATE	00005	09-627C	VA4041035	3014	9223B-PA	07/08/2009	A	A
result	STATE	00005	09-624C	VA4041035	3014	9223B-PA	07/08/2009	A	A
result	STATE	00005	09-626C	VA4041035	3014	9223B-PA	07/08/2009	A	A
result	STATE	00005	09-625C	VA4041035	3014	9223B-PA	07/08/2009	A	A
result	STATE	00005	09-652C	VA4041035	3014	9223B-PA	07/08/2009	A	A
result	STATE	00005	09-654C	VA4041035	3014	9223B-PA	07/08/2009	A	A
result	STATE	00005	09-653C	VA4041035	3014	9223B-PA	07/08/2009	A	A
result	STATE	00005	09-655C	VA4041035	3014	9223B-PA	07/08/2009	A	A
result	STATE	00005	09-173RC	VA4041035	3014	READYCULT 100	07/08/2009	A	A
result	STATE	00005	09-170RC	VA4041035	3014	READYCULT 100	07/08/2009	A	A
result	STATE	00005	09-174RC	VA4041035	3014	READYCULT 100	07/08/2009	A	A
result	STATE	00005	09-172RC	VA4041035	3014	READYCULT 100	07/08/2009	A	A
result	STATE	00005	09-171RC	VA4041035	3014	READYCULT 100	07/08/2009	A	A
result	STATE	00005	09-709C	VA4041035	3014	9223B-PA	07/08/2009	A	A
result	STATE	00005	09-708C	VA4041035	3014	9223B-PA	07/08/2009	A	A
result	STATE	00005	09-710C	VA4041035	3014	9223B-PA	07/08/2009	A	A
result	STATE	00005	09-707C	VA4041035	3014	9223B-PA	07/08/2009	A	A
result	STATE	00005	09-724C	VA4041035	3014	9223B-PA	07/08/2009	A	A
result	STATE	00005	09-723C	VA4041035	3014	9223B-PA	07/08/2009	A	A
result	STATE	00005	09-722C	VA4041035	3014	9223B-PA	07/08/2009	A	A
result	STATE	00005	09-721C	VA4041035	3014	9223B-PA	07/08/2009	A	A